L Number	Hits	Search Text	DB	Time stamp
4	39	(laser and dither$5 and track$4 and sweep$4) and (error near signal) and (photodetector or photodiode)	USPAT	2003/10/31 07:55
8	39	(laser and dither$5 and track$4 and sweep$4) and (error near signal) and (photodetector or photodiode) and frequency	USPAT	2003/10/31 09:46
9	15	(laser and dither$5 and track$4 and sweep$4) and (error near signal) and (photodetector or photodiode) and (frequency near1 select$5)	USPAT	2003/10/31 09:52
10	0	(laser and dither$5 and (track$4 near1 range) and sweep$4) and (error near signal) and (photodetector or photodiode) and (frequency near1 select$5)	USPAT	2003/10/31 09:50
11	0	(laser and dither$5 and (track$4 near2 range) and sweep$4) and (error near signal) and (photodetector or photodiode) and (frequency near1 select$5)	USPAT	2003/10/31 09:50
12	15	((laser and dither$5 and track$4 and sweep$4) and (error near signal) and (photodetector or photodiode) and (frequency near1 select$5)) and grating	USPAT	2003/10/31 09:52
-	63	(frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (control near3 block$3) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/26 14:53
-	6920	control$5 with frequency with laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:49
-	2116	(control$5 with frequency with laser) and (photodetector or photodiode or (photo near diode) or (photo near detector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:50
-	36	(frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (control near3 block$3) and laser and (control$5 with frequency with laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 10:25
-	42	(frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and ((control near3 block$3) OR (DIGITAL NEAR2 CONTROL)) and laser and (control$5 with frequency with laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:25
-	13	((frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and ((control near3 block$3) OR (DIGITAL NEAR2 CONTROL)) and laser and (control$5 with frequency with laser)) and grating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:22
-	69	(frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:44
-	68	((frequenc$3 near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser)) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:46

C:\APPS\east\workspaces\09942459.wsp

-	69	(frequenc$3 near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 02:09
-	97	(frequenc$3 near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:50
-	45	(frequenc$3 near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser) and (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 02:12
-	466	(photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 02:11
-	61	(frequenc$3 WITH selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser) and (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 02:33
-	303	(photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser) and (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 02:41
-	126	((photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser) and (control$5 near2 signal)) and 372/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 03:15
-	8	((photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequency with laser) and (control$5 near2 signal)) and 372/29.02	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 14:03
-	303	((photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequenc$3 with laser) and (control$5 near2 signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 16:31
-	126	(((photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (control$5 with frequenc$3 with laser) and (control$5 near2 signal))) and 372/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 15:00
-	513	((photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (frequenc$3 with select$5) and (control$5 near2 signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 16:40
-	112	(((photodetector or photodiode or (photo near diode) or (photo near detector)) and (grating) and laser and (frequenc$3 with select$5) and (control$5 near2 signal))) and 372/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 16:41

-	172	372/29.02	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 07:36
-	147	372/29.02.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 07:38
-	9	372/29.02.ccls. and (frequency near select$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 07:39
-	9	372/29.02.ccls. and (frequenc$3 near select$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 07:40
-	1	(372/29.02.ccls. and (frequenc$3 near select$5)) and (photodiode or photodetector or (photo adj diode) or (photo adj detector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 07:41
-	150	372/29.02.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:10
-	30836	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and frequency and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:13
-	6933	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequency) near2 select$4) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:14
-	5281	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequency) near select$4) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:35
-	3725	((photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequency) near select$4) and control) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:19
-	14	372/29.02.ccls. and (((photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequency) near select$4) and control) and laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:20
-	753	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequency) near select$4) and control$4 and laser and 372/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 07:50

-		216	((photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequency) near select$4) and control$4 and laser and 372/$) and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 08:16
-		224	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and control$4 and laser and 372/$ and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:08
-		28	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and laser and 372/29 and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 06:34
-		10	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and laser and 372/29.02 and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/11 16:52
-		224	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and laser and 372/$ and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 07:23
-		16	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and laser and 257/$ and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:38
-		408	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and laser and 372/$ AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:30
-		6889	control$4 with frequenc$4 with laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:31
-		99339	control$4 with frequenc$4 with output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:33
-		2493	(control$4 with frequenc$4 with laser) and (control$4 with frequenc$4 with output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 08:33
-		166	(photodetector or photodiode or (photo adj diode) or (photo adj detector)) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal) and (output near2 frequenc$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/26 15:33
-		129	(frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector) or detector) and (control near3 block$3) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/26 14:59

-	20	((frequency near3 selectiv$5) and (photodetector or photodiode or (photo near diode) or (photo near detector) or detector) and (control near3 block$3) and laser) and grating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/31 08:38
-	243	(photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal) and (output near2 frequenc$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 09:01
-	1173	(photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 09:06
-	1169	(photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal)	USPAT; US-PGPUB	2003/04/22 09:07
-	77	((photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal)) and dither$5	USPAT; US-PGPUB	2003/04/22 10:54
-	324	((photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal)) and 372/$	USPAT; US-PGPUB	2003/04/22 10:55
-	39	(((photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal)) and dither$5) and (((photodetector or photodiode or (photo adj diode) or (photo adj detector) or detector) and ((wavelength or frequenc$4) near select$5) and laser and (grating) AND (control$5 near2 signal)) and 372/$)	USPAT; US-PGPUB	2003/04/23 14:22
-	3	((square near1 wave) with (dither$4 near signal)) and 372/.ccls.	USPAT; US-PGPUB	2003/10/31 06:16
-	21	(laser and dither$5 and track$4 and sweep$4) and 369/$	USPAT	2003/10/30 16:41
-	186	laser and dither$5 and track$4 and sweep$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:44
-	162	laser and dither$5 and track$4 and sweep$4	USPAT	2003/10/30 17:00
-	61	(laser and dither$5 and track$4 and sweep$4) and (error near signal)	USPAT	2003/10/31 06:18
-	0	laser and (dither$5 near1 signal) and (track$4 near1 range) and (sweep$4 near1 control)	USPAT	2003/10/30 17:01
-	0	laser and (dither$5 near2 signal) and (track$4 near2 range) and (sweep$4 near2 control)	USPAT	2003/10/30 17:01
-	6	laser and (dither$5 near2 signal) and (track$4 near2 range) and (sweep$4)	USPAT	2003/10/30 17:01

C:\APPS\east\workspaces\09942459.wsp